# **TECHNICAL DATA**







Cleaners



**MOD** Approval

## AMBERKLENE ME20

### **HEAVY DUTY SOLVENT**

Amberklene ME20 is a powerful solvent blend which contains no CFCs or other chlorinated solvent. It is an ideal alternative to 1,1,1 Trichloroethane.

Formulated with a slower evaporation rate for longer contact time, it removes heavy, old and significant deposits of oil, grease, waxes and silicone, leaving a clean, dry, residue free surface.

#### **PRODUCT CODES / FILL SIZES**





31636 / 5Ltr



31698 / 25Ltr



30309 / 200Ltr

### **APPLICATIONS**

A highly effective degreasing agent, controlled evaporation allows increased contact time for excellent performance on heavy deposits of oil, grease and tar. Also effective on many other types of soiling. For all hydrocarbon soiling, for use in numerous industries including:

- Aviation
- Offshore
- Moulding
- Electric Motors
- Automotive

- Printing
- Light and Heavy Engineering
- Agriculture
- Marine
- Sewing and Upholstery

### **DIRECTIONS**

- Always test a small, inconspicuous area before general use
- Ensure electrical equipment is switched off before cleaning.
- Drying can be accelerated by wiping or using an air lance.

# **TECHNICAL DATA**



<b>TECHNICAL DATA</b>	(WITHOUT PROPELL	ANT)
-----------------------	------------------	------

Appearance	Clear, colourless liquid
Odour	Perfumed
SG @ 25°C	0.864
Pressure @ 25°C	7 Bar
Discharge rate	2.5 g/sec
Kb value	>200
Initial boiling point	170°C
Freezing point	Below -50°C
Evaporation rate	0.2 (with respect to Butyl Acetate)
Flammability	Classified as extremely flammable under current EC Regulations
Flashpoint	41°C (Bulk) Not Applicable in sealed aerosol.

### **MATERIALS COMPATIBILITY**

OK -

CAUTION May affect certain plastics. Always test a small, inconspicuous area before general use.

NOT OK -

### **STORAGE & SHELF LIFE**

The product may be stored at normal ambient temperatures and has a shelf life of not less than 6 years with correct storage. Aerosols should always be stored below 50°C, away from direct heat and naked flame.

### **HEALTH AND SAFETY**

A separate Safety Data Sheet (SDS) according to EC Regulation 73/404/EEC and 648/2004/EC is available from Ambersil.com or via info.uk@crcind.com

### **MISREPRESENTATION ACT 1967**

### **TRADE DESCRIPTIONS ACT 1968**

The information given in this publication is based on our experience and reports from customers. There are many factors outside our control and knowledge which affect the use and performance of our products and for which reason no warranty is given, express or implied. Users should make their own tests to determine the applicability of such information or the suitability of any products for their own particular purposes. Statements concerning the use of the products described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is to be assumed.

Version 3.1 Created: July 2019 Updated: October 2020

CRC Industries UK Ltd. Wylds Road,Bridgwater Somerset, TA6 4DD United Kingdom

Company Registered No. 04910479

t +44 (0)1278 727200

f +44 (0)1278 425644

e sales.uk@crcind.com

w www.ambersil.com

VAT No. GB 821 5195 42



