

PORTS

FEATURES

- An extra port block can be placed between modules to provide two auxiliary ports. Auxiliary ports are available in 1/4", 3/8" or 1/2" sizes
- Its mounting position can be rotated to obtain the most convenient operating orientation
- An extra port block can be ordered as part of an assembly or individually

NOTE: If only one auxiliary port is to be used the unused port must be closed with a pipe plug. The inlet & outlet of modular extra port is not threaded



3210

MODULAR EXTRA PORTS

| PART NUMBER | | DESCRIPTION |
|--------------|--|---------------------------|
| M-118-106-2W | | Modular extra port – 1/4" |
| M-118-106-3W | | Modular extra port – 3/8" |
| M-118-106-4W | | Modular extra port – 1/2" |

FEATURES

- End ports can be attached to threaded inlet & outlet lines. This allows all modules of an FRL assembly to be removed easily & quickly, simply by removing modular clamp instead of having to unthread.
- The end port is attached to product using a modular clamp. If ordering separately each port will require a clamp: part M-A118-105 or M-A118-105M.



3210

MODULAR END PORTS

| PART NUMBER | | DESCRIPTION |
|--------------|--|-------------------------|
| M-118-100-3W | | End ports – 3/8" female |
| M-118-100-4W | | End ports – 1/2" female |
| M-118-100-6W | | End ports – 3/4" female |

LOCK-OUT VALVES

FEATURES

- Modular or inline mounting
- Provides positive lockout of supply air & exhausting of downstream air
- Provides delayed pressure buildup for safe starts
- 3/2 operation – non threaded exhaust
- Can be padlocked only in the closed position
- BSPP port threads; optional NPTF threads



3210

MODULAR LOCK-OUT VALVES

| PART NUMBER | | DESCRIPTION |
|-------------|--|-----------------------|
| M-V380-2W | | Shut-off valve – 1/4" |
| M-V380-3W | | Shut-off valve – 3/8" |
| M-V380-4W | | Shut-off valve – 1/2" |
| M-V380-6W | | Shut-off valve – 3/4" |

FEATURES

- High flow threaded exhaust port to accommodate muffler or a line for remote exhausting
- Compact modular or inline
- Optional slow start (delayed-pressure-buildup) function
- 3 ported valve



3210

Please note: Padlock not supplied

MODULAR LOCK-OUT VALVE WITH EXHAUST

| PART NUMBER | | DESCRIPTION |
|---------------|--|------------------------------------|
| M-V382-2N6A0A | | Lockout valve with exhaust – G1/4" |
| M-V382-3N6A0A | | Lockout valve with exhaust – G3/8" |
| M-V382-4N6A0A | | Lockout valve with exhaust – G1/2" |
| M-V382-6N6A0A | | Lockout valve with exhaust – G3/4" |

Accessory symbol key

- 350 modular
- 380 modular

SAFETY

Did you know?

Products with safety benefits are indicated by a chevron at the bottom of their table