

# SAFETY DATA SHEET

### B2002

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1. Product identifier	
Product name	B2002
Container size	50g, 114g
1.2. Relevant identified uses	of the substance or mixture and uses advised against
Identified uses	Two-component, epoxy-based adhesive.
1.3. Details of the supplier of	the safety data sheet
Supplier	Bondloc UK Ltd Units 1 & 2 Bewdley Business Park Long Bank Bewdley Worcestershire DY12 2TZ United Kingdom +44 (0)1299 269269 +44 (0)1299 269210 sales@bondloc.co.uk
1.4. Emergency telephone nu	Imber
Emergency telephone	+44 (0)1299 269269
SECTION 2: Hazards identific	cation
2.1. Classification of the subs	tance or mixture
Classification (EC 1272/2008)	-
Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317
Environmental hazards	Aquatic Chronic 3 - H412
2.2. Label elements	
Hazard pictograms	
Signal word	Warning
Hazard statements	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.

Contains       reaction product: bisphenol-A-(epichlorhydrin), 2,4,6-tris(dimethylam         2.3. Other hazards       SECTION 3: Composition/information on ingredients         3.2. Mixtures       Talc (Mg3H2(SiO3)4)         CAS number: 14807-96-6       Classification         Not Classified       Not Classified	inomethyl)phenol
SECTION 3: Composition/information on ingredients         3.2. Mixtures         Talc (Mg3H2(SiO3)4)         CAS number: 14807-96-6         Classification	
3.2. Mixtures Talc (Mg3H2(SiO3)4) CAS number: 14807-96-6 Classification	
Talc (Mg3H2(SiO3)4)         CAS number: 14807-96-6         Classification	
CAS number: 14807-96-6 Classification	
Classification	60-100%
reaction product: bisphenol-A-(epichlorhydrin)	10-30%
CAS number: 25068-38-6         EC number: 500-033-5         REACH registra           2119456619-26	ation number: 01- 5-0016
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411	
2,4,6-tris(dimethylaminomethyl)phenol	1-5%
CAS number: 90-72-2 EC number: 202-013-9 REACH registra 2119560597-27	ation number: 01- 7-0000
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	
The full text for all hazard statements is displayed in Section 16.	
SECTION 4: First aid measures	

### 4.1. Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing. For breathing difficulties, oxygen may be necessary.
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting. Avoid vomiting and stomach flushing because of the risk of aspiration.
Skin contact	Wash skin thoroughly with soap and water. Remove contaminated clothing. Continue to rinse for at least 10 minutes. Get medical attention.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes. Get medical attention.
Protection of first aiders	It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.
4.2. Most important symptoms	and effects, both acute and delayed
Ingestion	Irritating to mouth, throat and stomach
Skin contact	Causes skin irritation. May cause an allergic skin reaction. Redness.
Eye contact	Causes eye irritation. Pain or irritation. Profuse watering of the eyes. Redness.
4.3. Indication of any immediat	e medical attention and special treatment needed
Notes for the doctor	Treat symptomatically.
SECTION 5: Firefighting meas	ures
5.1. Extinguishing media	
Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising fro	om the substance or mixture
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO2). Carbon monoxide (CO). Oxides of sulphur. Halogenated hydrocarbons. Metal oxide(s).
5.3. Advice for firefighters	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, prot	ective equipment and emergency procedures
Personal precautions	No action shall be taken without appropriate training or involving any personal risk. Evacuate area. Keep unnecessary and unprotected personnel away from the spillage. Provide adequate ventilation.
6.2. Environmental precautions	
Environmental precautions	Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air). Avoid discharge into drains or watercourses or onto the ground.
6.3. Methods and material for o	containment and cleaning up
Methods for cleaning up	Avoid generation and spreading of dust. Collect and place in suitable waste disposal containers and seal securely.
6.4. Reference to other section	<u>s</u>
Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.

### SECTION 7: Handling and storage

7.1. Precautions for safe handling	
Usage precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Do not get in eyes, on skin, or on clothing. Avoid release to the environment.
Advice on general occupational hygiene	Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including any incompatibilities	
Storage precautions	Store at temperatures not exceeding 35°C. Store in tightly-closed, original container in a dry, cool and well-ventilated place. Protect from sunlight.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure controls/Personal protection	
8.1. Control parameters	
Occupational exposure limits Talc (Mg3H2(SiO3)4)	
Long-term exposure limit (8-ł WEL = Workplace Exposure	nour TWA): WEL 1 mg/m³ respirable dust Limit.
8.2. Exposure controls	
Appropriate engineering controls	Good general ventilation should be adequate to control worker exposure to airborne contaminants.
Eye/face protection	Wear eye protection.
Hand protection	To protect hands from chemicals, gloves should comply with European Standard EN374.
Other skin and body protection	Wear apron or protective clothing in case of contact.
Hygiene measures	Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet. Take off immediately all contaminated clothing.
Respiratory protection	Respirator selection must be based on exposure levels, the hazards of the product and the safe working limits of the selected respirator.
SECTION 9: Physical and ch	emical properties
9.1. Information on basic physical and chemical properties	
Appearance	Solid.
Colour	Grey.

Odour	Characteristic.
Odour threshold	Not available.
рН	Not available.
Melting point	Not available.
Initial boiling point and range	>35°C @ 760 mm Hg
Flash point	Not applicable.
Evaporation rate	Not applicable.

Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	<500 Pa @ 20°C
Vapour density	Not applicable.
Relative density	1.9 - 2.0
Solubility(ies)	Insoluble in water.
Partition coefficient	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	>150°C
Viscosity	Not applicable.
Explosive properties	Not applicable.
Oxidising properties	Not available.
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	No test data specifically related to reactivity available for this product or its ingredients.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.
10.4. Conditions to avoid	
Conditions to avoid	Not known.
10.5. Incompatible materials	
Materials to avoid	Acids. Amines.
10.6. Hazardous decomposition products	
Hazardous decomposition products	Carbon dioxide (CO2). Carbon monoxide (CO). Nitrous gases (NOx).
SECTION 11: Toxicological in	formation
11.1. Information on toxicological effects	
Acute toxicity - oral	22.222.22
ATE oral (mg/kg)	33,333.33
Acute toxicity - dermal ATE dermal (mg/kg)	73,333.33
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes serious eye irritation.

SECTION 49 Ecological inform	notion
SECTION 12: Ecological inform	
12.1. Toxicity	
Ecotoxicity	
12.2. Persistence and degrada	
Persistence and degradability	There are no data on the degradability of this product.
12.3. Bioaccumulative potentia	
Bioaccumulative potential	Low
Partition coefficient	Not available.
12.4. Mobility in soil	
Mobility	Not available
12.5. Results of PBT and vPvE	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	Not applicable.
SECTION 13: Disposal consid-	erations
13.1. Waste treatment method	<u> s</u>
General information	Dispose of waste product or used containers in accordance with local regulations
Disposal methods	Dispose of waste product or used containers in accordance with local regulations
Waste class	08 04 09 waste adhesives and sealants containing organic solvents or other dangerous substances.
SECTION 14: Transport inform	nation
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
14.1. UN number	
Not applicable.	
14.2. UN proper shipping name	e
Not applicable.	
14.3. Transport hazard class(e	es)
No transport warning sign required.	
14.4. Packing group	
Not applicable.	
14.5. Environmental hazards	
Environmentally hazardous su No.	bstance/marine pollutant
14.6. Special precautions for u	Iser
Not applicable.	

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

#### Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the council of 18 December 2006 concerning the Registration, evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC,
	and amending Regulation (EC) No 1907/2006 with amendments.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information	
Revision date	17/02/2020
Supersedes date	29/10/2014
SDS number	4944
Hazard statements in full	H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

PRECAUTIONS: This product and the auxiliary materials normally combined with it are capable of producing adverse health effects ranging from minor skin irritation to serious systemic effects. None of these materials should be used, stored, or transported until the handling precautions and recommendations as stated in the Material Safety Data Sheets (MSDS) for this and all other products being used are understood by all persons who will work with the product.

WARRANTY: All products purchased from or supplied by Bondloc are subject to terms and conditions set out in the contract. Bondloc warrants only that its product will meet those specifications designated as such herein or in other publications. All other information supplied by Bondloc is consider accurate but are furnished upon the express condition the customer shall make its own assessment to determine the product's suitability for a particular purpose. Bondloc makes no other warranty, either express or implied, including those regarding such other information, the data upon which the same is based, or the results to be obtained from the use thereof; that any product shall be merchantable or fit for any particular purpose; or that the use of such other information or product will not infringe any patent.