

SAFETY DATA SHEET Revision date: 14-June-2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

Issue date:

14-June-2022

		of the substance/mixture and of the company/undertaking
1.1. Product identifier Trade name or designation of the mixture		CHAIN LUBE FG
Registration n	umber	-
Synonyms		None.
Product code		BDS002335AE
1.2. Relevant identified uses of the literation of the literationo		ne substance or mixture and uses advised against Lubricants
Uses advis	sed against	None known.
1.3. Details of	the supplier of the	safety data sheet
Company		CRC Industries UK Ltd.
Address		Wylds Road
71441000		Castlefield Industrial Estate
		TA6 4DD Bridgwater Somerset
		United Kingdom
Talanhana		+44 1278 727200
Telephone Fax	;	+44 1278 127200
Fax E-mail		
		hse.uk@crcind.com
Website		www.crcind.com
Company	nomo	CRC Industries Europe bv
Company Address	name	Touwslagerstraat 1
Address		9240 Zele
		Belgium
Telephone -	)	+32(0)52/45.60.11
Fax		+32(0)52/45.00.34
E-mail		hse@crcind.com
Website		www.crcind.com
1.4. Emergenc number	y telephone	Tel.:(+44)(0)1278 72 7200 (office hours: 9-17h GMT)
General in	EU	112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Austria Na Informatio	ational Poisons on Centre	+431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Belgium N Control Ce	lational Poisons enter	070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Bulgaria N Toxicologi Centre	lational ical Information	+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Czech Rep Poisons Ir Centre	oublic National Information	+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Denmark I Control Ce	National Poisons enter	+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Estonia Na Informatio	ational Poisons on Centre	16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)
Finland Na Informatio	ational Poison on Center	(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center	ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Hungary National Emergency Phone Number	36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Lithuania Neatidėliotina informacija apsinuodijus	+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Malta Accident and Emergency Department	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Netherlands National Poisons Information Center (NVIC)	030-274 88 88 (Only for the purpose of informing medical personnel in cases of acute intoxications)
Norway Norwegian Poison Information Center	22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Portugal Poison Centre	800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Romania Număr de telefon care poate fi apelat în caz de urgență:	021 5992300, int. 291 Spitalul Clinic de Urgență București: spital@urgentafloreasca.ro
Romania	0265 212111, 0265 211292, 0265 217235 Spitalul Clinic Județean de Urgență Târgu Mureș: secretariat@spitjudms.ro
Slovakia National Toxicological Information Centre	+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Sweden National Poison Information Center	112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Switzerland Tox Info Suisse	145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards
Aerosols

Category 1

H222 - Extremely flammable aerosol. H229 - Pressurized container: May burst if heated.

2.2. Label elements

## Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms

Signal word	Danger
Hazard statements	
H222 H229	Extremely flammable aerosol. Pressurized container: May burst if heated.
Precautionary statements	
Prevention	
P102 P210 P211 P251	Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.
Response	Not assigned.
<b>Storage</b> P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal	Not assigned.
Supplemental label information	None.
2.3. Other hazards	This mixture doe (EC) No 1907/20

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

The components are not hazardous or are below required disclosure limits.Composition commentsThe full text for all H-statements is displayed in section 16.

## **SECTION 4: First aid measures**

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## 4.1. Description of first aid measures

If symptoms develop move victim to fresh air. Get medical attention if symptoms persist.	
Wash off with soap and water. Get medical attention if irritation develops and persists.	
Rinse with water. Get medical attention if irritation develops and persists.	
In the unlikely event of swallowing contact a physician or poison control centre.	
Exposure may cause temporary irritation, redness, or discomfort.	
Treat symptomatically.	

# **SECTION 5: Firefighting measures**

General fire hazards	Extremely flammable aerosol.
5.1. Extinguishing media	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	Contents under pressure. Pressurised container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Special fire fighting procedures	Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapour pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

	stro equipment and emergency procedures
For non-emergency personnel	Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
For emergency responders	Keep unnecessary personnel away. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
6.2. Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. The product is immiscible with water and will spread on the water surface. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling	Pressurised container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS). Storage class (TRGS 510): 2B (Aerosol dispensers and lighters)
7.3. Specific end use(s)	Not available.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

Occupational exposure limits

Components	Туре	Value	Form
Silica, amorphous (CAS 7631-86-9)	MAK	4 mg/m3	Inhalable fraction.
	STEL	20 mg/m3	Inhalable fraction.
		10 mg/m3	Respirable fraction.
Belgium. Exposure Limit Values			
Components	Туре	Value	Form
Silica, amorphous (CAS 7631-86-9)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Bulgaria. OELs. Regulation No 13 Components	3 on protection of workers aga Type	inst risks of exposure to chen Value	nical agents at work Form
Silica, amorphous (CAS 7631-86-9)	TWA	10 mg/m3	Inhalable fraction.
		0,07 mg/m3	Respirable fraction.
Croatia. Dangerous Substance E Components	xposure Limit Values in the Wo Type	orkplace (ELVs), Annexes 1 aı Value	nd 2, Narodne Novine, 13/0 Form
Silica, amorphous (CAS 7631-86-9)	MAC	6 mg/m3	Total dust.
		0,1 mg/m3	Respirable dust.
Cyprus. OELs. Control of factory	atmosphere and dangerous s	ubstances in factories regulat	ion, PI 311/73, as amended
Components	Туре	Value	
Silica, amorphous (CAS 7631-86-9)	TWA	2 mg/m3	
Czech Republic. OELs. Governm			_
Components	Туре	Value	Form
Silica, amorphous (CAS 7631-86-9)	TWA	4 mg/m3	Dust.
Estonia. OELs. Occupational Exp Components	osure Limits of Hazardous Su Type	bstances (Regulation No. 105 Value	/2001, Annex), as amended Form
Silica, amorphous (CAS 7631-86-9)	TWA	2 mg/m3	Fine dust, respiratory fraction
Finland. Workplace Exposure Lir			
Components	Туре	Value	
Silica, amorphous (CAS 7631-86-9)	TWA	5 mg/m3	

•	Туре	Chemicals in France, I Value	Form
Silica, amorphous (CAS 7631-86-9)	VME	5 mg/m3	Respirable fraction.
Regulatory status:	Regulatory binding (VRC)		
Begulatany atatua	Populatory hinding (V/PC)	10 mg/m3	Inhalable fraction.
Regulatory status:	Regulatory binding (VRC)		
in the Work Area (DFG)	t (advisory OELs). Commission for the Investig	jation of Health Hazard	as of Chemical Compoun
Components	Туре	Value	Form
Polytetrafluoroethylene (CAS 9002-84-0)	TWA	4 mg/m3	Inhalable fraction.
(CAS 9002-64-0)		0,3 mg/m3	Respirable fraction.
Silica, amorphous (CAS 7631-86-9)	TWA	4 mg/m3	Inhalable fraction.
Germany. TRGS 900, Liı Components	mit Values in the Ambient Air at the Workplace Type	Value	Form
Silica, amorphous (CAS	AGW	4 mg/m3	Inhalable fraction.
7631-86-9)		- mg/mo	
Ireland. Occupational E	•		-
Components	Туре	Value	Form
Silica, amorphous (CAS 7631-86-9)	TWA	6 mg/m3	Total inhalable dust.
		2,4 mg/m3	Respirable dust.
Latvia. OELs. Occupatio Components	onal exposure limit values of chemical substand Type	ces in work environmo Value	ent
Silica, amorphous (CAS	TWA	1 mg/m3	
7631-86-9)			
	Values for Chemical Substances, General Requ Type		Form
Components	Туре	Value	-
<b>Components</b> Silica, amorphous (CAS	•	Value 5 mg/m3	Respirable fraction.
<b>Components</b> Silica, amorphous (CAS	Туре	Value	-
Components Silica, amorphous (CAS 7631-86-9) Norway. Administrative	Type TWA Norms for Contaminants in the Workplace	Value 5 mg/m3 10 mg/m3	Respirable fraction.
Components Silica, amorphous (CAS 7631-86-9) Norway. Administrative Components	Type TWA Norms for Contaminants in the Workplace Type	Value 5 mg/m3 10 mg/m3 Value	Respirable fraction. Inhalable fraction. Form
Components Silica, amorphous (CAS 7631-86-9)	Type TWA Norms for Contaminants in the Workplace	Value 5 mg/m3 10 mg/m3	Respirable fraction.
Components Silica, amorphous (CAS 7631-86-9) Norway. Administrative Components Silica, amorphous (CAS 7631-86-9)	Type TWA Norms for Contaminants in the Workplace Type	Value           5 mg/m3           10 mg/m3           Value           1,5 mg/m3	Respirable fraction. Inhalable fraction. <b>Form</b> Respirable dust.
Components Silica, amorphous (CAS 7631-86-9) Norway. Administrative Components Silica, amorphous (CAS 7631-86-9) Slovenia. OELs. Regular (Official Gazette of the F	Type         TWA         Norms for Contaminants in the Workplace         Type         TLV         tions concerning protection of workers against         Republic of Slovenia)	Value 5 mg/m3 10 mg/m3 Value 1,5 mg/m3 t risks due to exposure	Respirable fraction. Inhalable fraction. <b>Form</b> Respirable dust. e to chemicals while work
Components Silica, amorphous (CAS 7631-86-9) Norway. Administrative Components Silica, amorphous (CAS 7631-86-9) Slovenia. OELs. Regular (Official Gazette of the F Components	Type         TWA         Norms for Contaminants in the Workplace         Type         TLV         tions concerning protection of workers against         Republic of Slovenia)         Type	Value 5 mg/m3 10 mg/m3 Value 1,5 mg/m3 t risks due to exposure Value	Respirable fraction. Inhalable fraction. Form Respirable dust. e to chemicals while work Form
Components Silica, amorphous (CAS 7631-86-9) Norway. Administrative Components Silica, amorphous (CAS 7631-86-9) Slovenia. OELs. Regular (Official Gazette of the F Components Silica, amorphous (CAS	Type         TWA         Norms for Contaminants in the Workplace         Type         TLV         tions concerning protection of workers against         Republic of Slovenia)	Value 5 mg/m3 10 mg/m3 Value 1,5 mg/m3 t risks due to exposure	Respirable fraction. Inhalable fraction. <b>Form</b> Respirable dust. e to chemicals while work
Components Silica, amorphous (CAS 7631-86-9) Norway. Administrative Components Silica, amorphous (CAS 7631-86-9) Slovenia. OELs. Regular (Official Gazette of the F Components Silica, amorphous (CAS 7631-86-9)	Type         TWA         Norms for Contaminants in the Workplace         Type         TLV         tions concerning protection of workers against         Republic of Slovenia)         Type         TWA	Value 5 mg/m3 10 mg/m3 Value 1,5 mg/m3 t risks due to exposure Value	Respirable fraction. Inhalable fraction. Form Respirable dust. e to chemicals while work Form
Components Silica, amorphous (CAS 7631-86-9) Norway. Administrative Components Silica, amorphous (CAS 7631-86-9) Slovenia. OELs. Regular (Official Gazette of the F Components Silica, amorphous (CAS 7631-86-9) Spain. Occupational Ex	Type         TWA         Norms for Contaminants in the Workplace         Type         TLV         tions concerning protection of workers against         Republic of Slovenia)         Type         TWA	Value 5 mg/m3 10 mg/m3 Value 1,5 mg/m3 t risks due to exposure Value	Respirable fraction. Inhalable fraction. Form Respirable dust. e to chemicals while work Form
Components Silica, amorphous (CAS 7631-86-9) Norway. Administrative Components Silica, amorphous (CAS 7631-86-9) Slovenia. OELs. Regular (Official Gazette of the F Components Silica, amorphous (CAS 7631-86-9) Spain. Occupational Exp Components Silica, amorphous (CAS	Type         TWA         Norms for Contaminants in the Workplace         Type         TLV         tions concerning protection of workers against         Republic of Slovenia)         Type         TWA         TWA         posure Limits	Value 5 mg/m3 10 mg/m3 Value 1,5 mg/m3 risks due to exposure Value 4 mg/m3	Respirable fraction. Inhalable fraction. <b>Form</b> Respirable dust. e to chemicals while work Form Inhalable fraction.
Components Silica, amorphous (CAS 7631-86-9) Norway. Administrative Components Silica, amorphous (CAS 7631-86-9) Slovenia. OELs. Regula (Official Gazette of the F Components Silica, amorphous (CAS 7631-86-9) Spain. Occupational Ex Components	Type         TWA         Norms for Contaminants in the Workplace         Type         TLV         tions concerning protection of workers against         Republic of Slovenia)         Type         TWA         TWA         TWA         TWA         TWA	Value 5 mg/m3 10 mg/m3 Value 1,5 mg/m3 risks due to exposure Value 4 mg/m3 Value 3 mg/m3	Respirable fraction. Inhalable fraction. Form Respirable dust. e to chemicals while work Form Inhalable fraction. Form
Components Silica, amorphous (CAS 7631-86-9) Norway. Administrative Components Silica, amorphous (CAS 7631-86-9) Slovenia. OELs. Regula (Official Gazette of the F Components Silica, amorphous (CAS 7631-86-9) Spain. Occupational Ex Components Silica, amorphous (CAS 7631-86-9) Silica, amorphous (CAS 7631-86-9)	Type         TWA         Norms for Contaminants in the Workplace         Type         TLV         tions concerning protection of workers against         Republic of Slovenia)         Type         TWA         posure Limits         TWA         TWA	Value 5 mg/m3 10 mg/m3 Value 1,5 mg/m3 trisks due to exposure Value 4 mg/m3 Value	Respirable fraction. Inhalable fraction. Form Respirable dust. e to chemicals while work Form Inhalable fraction. Form Respirable fraction.
Components Silica, amorphous (CAS 7631-86-9) Norway. Administrative Components Silica, amorphous (CAS 7631-86-9) Slovenia. OELs. Regular (Official Gazette of the F Components Silica, amorphous (CAS 7631-86-9) Spain. Occupational Exp Components Silica, amorphous (CAS 7631-86-9) Spain. Occupational Exp Components Silica, amorphous (CAS 7631-86-9) Switzerland. SUVA Grer	Type         TWA         Norms for Contaminants in the Workplace         Type         TLV         tions concerning protection of workers against         Republic of Slovenia)         Type         TWA         TWA         TWA         TWA         TWA	Value 5 mg/m3 10 mg/m3 Value 1,5 mg/m3 risks due to exposure Value 4 mg/m3 Value 3 mg/m3	Respirable fraction. Inhalable fraction. Form Respirable dust. e to chemicals while work Form Inhalable fraction. Form Respirable fraction.
Components Silica, amorphous (CAS 7631-86-9) Norway. Administrative Components Silica, amorphous (CAS 7631-86-9) Slovenia. OELs. Regular (Official Gazette of the F Components Silica, amorphous (CAS 7631-86-9) Spain. Occupational Ex Components Silica, amorphous (CAS 7631-86-9) Spain. Occupational Ex Components Silica, amorphous (CAS 7631-86-9) Switzerland. SUVA Gree Components Polytetrafluoroethylene	Type         TWA         Norms for Contaminants in the Workplace         Type         TLV         tions concerning protection of workers against         Republic of Slovenia)         Type         TWA         posure Limits         Type         TWA         nzwerte am Arbeitsplatz	Value 5 mg/m3 10 mg/m3 Value 1,5 mg/m3 trisks due to exposure Value 4 mg/m3 Value 3 mg/m3 10 mg/m3	Respirable fraction. Inhalable fraction. Form Respirable dust. e to chemicals while work Form Inhalable fraction. Form Respirable fraction. Inhalable fraction.
Components Silica, amorphous (CAS 7631-86-9) Norway. Administrative Components Silica, amorphous (CAS 7631-86-9) Slovenia. OELs. Regular (Official Gazette of the F Components Silica, amorphous (CAS 7631-86-9) Spain. Occupational Ex Components Silica, amorphous (CAS 7631-86-9) Switzerland. SUVA Gren Components Polytetrafluoroethylene (CAS 9002-84-0)	Type         TWA         Norms for Contaminants in the Workplace         Type         TLV         tions concerning protection of workers against         Republic of Slovenia)         Type         TWA         posure Limits         Type         TWA         nzwerte am Arbeitsplatz         Type         TWA	Value           5 mg/m3           10 mg/m3           Value           1,5 mg/m3           trisks due to exposure           Value           4 mg/m3           Value           3 mg/m3           10 mg/m3           Value           3 mg/m3           10 mg/m3	Respirable fraction. Inhalable fraction. Form Respirable dust. e to chemicals while work Form Inhalable fraction. Form Respirable fraction. Inhalable fraction. Form
Components Silica, amorphous (CAS 7631-86-9) Norway. Administrative Components Silica, amorphous (CAS 7631-86-9) Slovenia. OELs. Regular (Official Gazette of the F Components Silica, amorphous (CAS 7631-86-9) Spain. Occupational Exp Components Silica, amorphous (CAS 7631-86-9) Spain. SUVA Green Components	Type         TWA         Norms for Contaminants in the Workplace         Type         TLV         tions concerning protection of workers against         Republic of Slovenia)         Type         TWA         posure Limits         Type         TWA         nzwerte am Arbeitsplatz         Type	Value 5 mg/m3 10 mg/m3 Value 1,5 mg/m3 trisks due to exposure Value 4 mg/m3 Value 3 mg/m3 10 mg/m3 Value Value	Respirable fraction. Inhalable fraction. Form Respirable dust. e to chemicals while work Form Inhalable fraction. Form Respirable fraction. Inhalable fraction. Form
Components Silica, amorphous (CAS 7631-86-9) Norway. Administrative Components Silica, amorphous (CAS 7631-86-9) Slovenia. OELs. Regular (Official Gazette of the F Components Silica, amorphous (CAS 7631-86-9) Spain. Occupational Ex Components Silica, amorphous (CAS 7631-86-9) Switzerland. SUVA Grer Components Polytetrafluoroethylene (CAS 9002-84-0) Silica, amorphous (CAS	Type         TWA         Norms for Contaminants in the Workplace         Type         TLV         tions concerning protection of workers against         Republic of Slovenia)         Type         TWA         posure Limits         Type         TWA         nzwerte am Arbeitsplatz         Type         TWA	Value           5 mg/m3           10 mg/m3           Value           1,5 mg/m3           trisks due to exposure           Value           4 mg/m3           Value           3 mg/m3           10 mg/m3           Value           3 mg/m3           4 mg/m3	Respirable fraction. Inhalable fraction. Form Respirable dust. e to chemicals while work Form Inhalable fraction. Form Respirable fraction. Inhalable fraction. Form

Derived no effect levels (DNELs)	Not available.
Predicted no effect concentrations (PNECs)	Not available.
8.2. Exposure controls	
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measures,	such as personal protective equipment
General information	Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Eye/face protection	Wear safety glasses with side shields (or goggles). Use eye protection conforming to EN 166.
Skin protection	
- Hand protection	For accidental contact the use of disposable gloves should be sufficient provided they are changed immediately after a splash or spill may occur. If intentional contact is expected reusable gloves should be used with a breakthrough time greater than the total duration of the product use. Suitable gloves can be recommended by the glove supplier.
- Other	Not available.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with organic vapour cartridge. (Filter type A)
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and chemical properties	
Physical state	Liquid.
Form	Aerosol.
Colour	White.
Odour	Characteristic odor.
Melting point/freezing point	Not available.
Boiling point or initial boiling point and boiling range	Not available.
Flammability (solid, gas)	Not available.
Flash point	> 260,0 °C (> 500,0 °F)
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
рН	Not applicable.
Solubility(ies)	
Solubility (water)	Insoluble in water
Vapour pressure	3000 hPa estimated
Vapour density	Not available.
Relative density	0,92 g/cm3 at 20°C
Particle characteristics	Not available.
9.2. Other information	
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.
9.2.2. Other safety characteristics	
Evaporation rate	Not applicable.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
VOC	86 g/l

# **SECTION 10: Stability and reactivity**

# **SECTION 11: Toxicological information**

· · · · · · · · · · · · · · · · · · ·		
General information	Occupational exposure to the substance or mixture may cause adverse effects.	
Information on likely routes of exposure		
Inhalation	Prolonged inhalation may be harmful.	
Skin contact	Based on available data, the classification criteria are not met.	
Eye contact	Based on available data, the classification criteria are not met.	
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.	
Symptoms	Exposure may cause temporary irritation, redness, or discomfort.	
11.1. Information on toxicologica	al effects	
Acute toxicity	Based on available data, the classification criteria are not met.	
Skin corrosion/irritation	Based on available data, the classification criteria are not met.	
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.	
Respiratory sensitisation	Based on available data, the classification criteria are not met.	
Skin sensitisation	Based on available data, the classification criteria are not met.	
Germ cell mutagenicity	Based on available data, the classification criteria are not met.	
Carcinogenicity	Based on available data, the classification criteria are not met.	
Hungary. 26/2000 EüM Ordin (as amended) Not listed.	ance on protection against and preventing risk relating to exposure to carcinogens at work	
Reproductive toxicity	Based on available data, the classification criteria are not met.	
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.	
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.	
Aspiration hazard	Not likely, due to the form of the product.	
Mixture versus substance information	Not available.	
11.2. Information on other hazard		
Endocrine disrupting properties	The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.	
Other information	Not available.	
SECTION 12: Ecological in	formation	
12.1. Toxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.	
12.2. Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.	
12.3. Bioaccumulative potential		
Partition coefficient n-octanol/water (log Kow)	Not available.	

12.5. Results of PBT and vPvB assessment	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.
12.6. Endocrine disrupting properties	The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7. Other adverse effects	The product contains volatile organic compounds which have a photochemical ozone creation potential. GWP: 0

# **SECTION 13: Disposal considerations**

13.1. Waste treatment methods	
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

# **SECTION 14: Transport information**

A

ADR	
14.1. UN number	UN1950
14.2. UN proper shipping	AEROSOLS, flammable
name	
14.3. Transport hazard class	(es)
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Hazard No. (ADR)	Not available.
Tunnel restriction code	D
14.4. Packing group	Not available.
14.3. Transport hazard class	(es)
ADR/RID - Classification	5F
code:	
14.5. Environmental hazards	
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
for user	
ΙΑΤΑ	
14.1. UN number	UN1950
14.2. UN proper shipping	Aerosols, flammable
name	· 、
14.3. Transport hazard class	
Class	2.1
Subsidiary risk	-
14.4. Packing group	Not available.
14.5. Environmental hazards	
ERG Code	
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
14.1. UN number	UN1950
14.2. UN proper shipping	Aerosols, flammable
name	Acrosofs, hannable
14.3. Transport hazard class	(es)
Class	2.1
Subsidiary risk	-
oubsidiary risk	

 14.4. Packing group
 Not available.

 14.5. Environmental hazards
 Marine pollutant

 Marine pollutant
 No

 EmS
 F-D, S-U

 14.6. Special precautions for user
 Read safety instructions, SDS and emergency procedures before handling.

 Not established.
 Not established.

14.7. Maritime transport in bulk according to IMO instruments



# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

## **Restrictions on use**

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

#### Other EU regulations

Directive 2012/18/EU or Not listed.	n major accident hazards involving dangerous substances, as amended
Other regulations	The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.
National regulations	Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.

## **SECTION 16: Other information**

#### List of abbreviations

List of appreviations	
	ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.
	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road. AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany). ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP). CAS: Chemical Abstract Service. Ceiling: Short Term Exposure Limit Ceiling value.
	CEN: European Committee for Standardization. CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures. GWP: Global Warming Potential.
	IATA: International Air Transport Association. IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.
	IMDG: International Maritime Dangerous Goods. MAC: Maximum Allowed Concentration.
	MAK: Threshold limit values Germany (Maximale Arbeitsplatzkonzentration - DFG). MARPOL: International Convention for the Prevention of Pollution from Ships. PBT: Persistent, bioaccumulative and toxic. REACH: Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No
	1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals). RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer). RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit.
	TLV: Threshold Limit Value. TWA: Time Weighted Average.
	VLE: Exposure Limit Value. VME: Exposure Average Value. VOC: Volatile organic compounds. vPvB: Very persistent and very bioaccumulative.
References	
References	STEL: Short-term Exposure Limit.
	Not available.
Information on evaluation method leading to the classification of mixture	
method leading to the	Not available. The classification for health and environmental hazards is derived by a combination of calculation

**Training information** 

Disclaimer

Follow training instructions when handling this material.

CRC Industries Europe UK Limited cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.